

Software Test

Lesson 4 Homework – Feedback

Uwe Gühl Winter 2015 / 2016



Homework



- 1. Download from https://mike.cpe.ku.ac.th/~uwe/01219343
 - Test case template (Template_TestCase_v1.0.xlsx)
- 2. Please enter in the test case template for committed 3 requirements / 3 risks test cases into the template.
 - For every requirement / risk enter please at least two test cases
 - 1 positive test case (testing the good case)
 - 1 negative test case (testing erratic behavior)


Homework



- 3. Ask your fellow student for review and approval.
 - Approval means: Your fellow student could execute the test
 - Approval should be sent be e-mail to you.
 - Approval should be done by the student listed in the student list above you.
 - The first student chooses the last
- 4. Send both documents (template and approval) until 09.03.2016 to uweguehl@hotmail.com

Homework





Approves



General:

- What is a load test?
 Testing with a specific number of virtual user to test system behavior under load.
- What is a stress test?
 Means normally extending incrementally the load until system fails



- General:
 - Attention with editing a template Inconsistencies possible



 System under Test Title, version should be mentioned.

System Under	
Test	/* Name of System Under Test to be entered */

System
Under
Test

Game - Ahntrolan /* exact which version? */



Tests should make sense. Risk: Server shutdown

Test if server is alive

. . .

Type in command "ping 188.166.180.204"

. . .

- => This is not really a functional test, it is more an administrators activity
- => Depending on the offered solution a test should be designed and executed.

E.g.: Solution: Tracing on a log file every hour "I am alive". Optionally: Warning messages depending on parameters Test idea: Start server, random automated website access, after 24 hours check of log file.



Tests should make sense. Risk: Server shutdown

Test if server is not alive

. . .

Type in command "ping 188.166.180.204"

. . .

- => This is not really a functional test, it is more an administrators activity
- => Depending on the offered solution a test should be designed and executed.
- E.g.: Solution: An alarm will sent to admin@ in case. Test idea: Force the server to shut down, check, if mail has been sent.



- Priority: Only a minority of the test cases should have priority "1 = high"
 - => else difficult to decide what test cases to start with
- Most test case should have priority "2 = medium"
 - About 10 to 20 % "1 = high"
 - About 50 to 70 % "2 = medium"
 - About 20 to 30 % "3 = low"



- Role: Public person, public user
 - => Difference?
 - => Use unambiguous roles
- Role: User
 - => Too general
- Role: Game tester
 - => Not a real role, maybe "Player"?
- Role and test scope should match
 - Role: System Admin.
 - User fill sign in form with string length > 25 character.



- Precondition: Google Chrome or Firefox
 - => Do two test cases, one for Chrome, one for Firefox
 - => The more browsers to test, the more
 - test automation should be considered
 - a test strategy should be developed (testing pair wise)



- Precondition for
 - "Website render Thai text"

10 No precondition

 Proposal: Offering test data contenting Thai text / characters



Precondition
 Game is already loaded and running on the device.

Which device?



 Precondition for test Game resolution function for the GUI on supported devices like wide screen phone.

=> Risk: All devices to be tested

Proposal: Add preconditions:

- Exactly which devices?
- Requests like specific iOS / Android version



 Precondition for test Game resolution function for the GUI on unsupported widescreen devices like the tablet

=> Risk: All devices to be tested

Proposal: Add preconditions:

– Representative for not supported device?



 Test must not be too general Which test to execute?

0 role10 precondition

	Due to driver
	doesn't support
Run junit test	it need to test by
20 from selenium.	manual.



- Tests must match with requirement
- User fill form with SQL injection.
 - User fill sign in form with string length > 25 character.
 - User fill form with special character that is not allowed

→ Really tests to test SQL injection?!



- Step: Choose Samsung as option and leave search field blank, press search
 - => Use column "Test Data" to address test data



Step: Concrete
 Trying to fill non traditional character
 → What is this?

=> Use column "Test Data" to address test data



Step: Concrete

The dark screen disappear and the Wait for the game to player find himself at the "Play scene"

How long to wait?

=> Test ends
No proceeding?



Step: Not too complex

Entering first name, last name, e-mail address, password, password confirmation, date of birth to the field in Thai

=> E-mail address in Thai?



Step: Not too complex

Entering first name, last name, e-mail address, password, password confirmation, date of birth to the field in Thai

- => Which data to enter?
 Use column "test data"
- → Interesting for intense entry field testing



 Step: Choose Samsung as option and choose options that have characteristics none of the Samsung robots have

=> How does a tester know?



 Step: Complete tests
 What happens / should happen, if user tries to type more character?
 Copy / paste?

Trying to fill long of text can't go beyond 25 address field.

Maximum number of text can't go beyond 25 characters.



• Step: Complete tests


Really last step of a test case?

	Dialog box appears
	saying that you
Click on sign up	haven't entering any
button	information



Step: Negative tests
 Really expected system behavior?

	Calling webpage	Show all novel in
20	and select novel.	website.
	Choose novel from	
30	the list.	404 File not found.





Step: Negative tests
 How could this be tested on purpose?
 What is the idea of the test?

	With running browser,	
	Reader browse to localhost	
	mount with Online Reading	Browser response with
20	Platform system	Connection timed out error.
30	No postcondition	



Finishing a test case.
 How should a test finish, if error occurs?

Fill a data with text longer than 100 characters for name, "Sci-fi" for category, leave image blank.
50 Then click "Create" button

Browser render a page with previous form included data and display a cause of error in red text under name field "Name should not longer than 100 characters."



Post conditions for web pages
 Idea: Tracing of user searches? Cookies?
 Changes for future searches?



- Post condition: Webpage still works normally
 - => What does it mean?